PTO/SB/08B (08-03)

Approved for use through 07/31/2006, OMB 0651-0031

Un	der the Paperwork Red	luction A	at of 1995, no persons a	o.s. Patent re required to respond to a collection	i of information unless it contains a valid OMB control numb	CE er		
	te for form 1449/PTO			Complete if Known				
				Application Number	09/436,368	_		
INF	ORMATION	DIS	CLOSURE	Filing Date	Nov 8, 1999	_		
STA	TEMENT E	BY A	PPLICANT	First Named Inventor	CRATER	_		
	(Use as many she	ote se n	acessand	Art Unit	2711			
	(coo ao many ano	.010 00 11	occodary)	Examiner Name				
Sheet	4	of	7	Attorney Docket Number	CTC-2	7		

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the Item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
	48	"aX announces Support for Opto 22 Ethernet B3000 Devices"; from web page at http://www.mnrcan.com/newsdetail.phtml?idno=25.	1
	48	"aX Process Control"; from web page at http://www.mnrcan.com/ ProcessControl.phtml.	1
	50	"About LabCam"; from web page at http://people.cs.uchicago.edu/~peterp/ LabCam/aboutLabCam.html.	1
	51	"Bibliography"; from web page at http://www-2.csc.cmu.edu/Groups/ xavier/www/papers.html.	1
	54	STAFFORD-FRASER, Quentin; "Life and Times of the First Web Cam"; from web page http://www.cl.cam.ac.uk/coffee/qsf/cacm200107.html.	1
	60	"EDN Access; Test&Measurement from web page http://archives.e-insite.net/archives/ednmag/reg/1996/060696/12prod4.htm.	1
	65 /	Misc web pages and documents from http://www.labtech.com.	1
	67	GOLDBERG, Ken et al; "Beyond the Web: Excavating the Real Wrold Via Mosaic; web page at http://www.ncsa.uiuc.edu/SDG/IT9goldberg.html.	1
	68/	GOLDBERG, Ken et al; "Desktop Teleoperation via the World Wide Web"; IEEE International Conference on Robotics and Automation; 1995.	1
	71	SOREIDA NN et al; "Mosaic access to real-time data from the TOGA-TAO array of moored buoys" Computer Networks and ISDN Systems; Dec 1995.	1

Examiner	Date	
Signature	Considered	

[&]quot;EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not

[&]quot;EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPCP 680. Draw line through citation in on in conformance and not considered. Include copy of this form with next communication to applicant.

I Applicant's unique distant designation number (optional), 2 Applicant is to place a check, mark here if Expirits Inappage Translation is statistical.

I Applicant's unique distant designation number (optional), 2 Applicant is to place a check mark here if Expirits Inappage Translation is statistical to the complete in th

PTO/SB/08B (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
LLS_Patent and Trademark Office: LLS_DEPARTMENT OF COMMEPCE

Unde	r the Paperwork Redu	ction Act	of 1995, no persons ar		and Trademark Office; U.S. DEPARTMENT OF COMMERCE of information unless it contains a valid OMB control number. Complete if Known
Substitute	for form 1449/PTO			Application Number	09/436,368
INFO	RMATION	DIS	CLOSURE	Filing Date	Nov 8, 1999
STA	TEMENT B	Y A	PPLICANT	First Named Inventor	CRATER
				Art Unit	2711
	(Use as many she	ets as ne	ecessary)	Examiner Name	
Sheet	5	of	7	Attorney Docket Number	CTC-2

		NON PATENT LITERATURE DOCUMENTS		
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²	
	74	SCHARF Ronald et al; "Using Mosaic for Remote Test System Control Supports Distributed Engineering"; Institute of Conputer Aided Circuit Design.	✓	
	76	PERYT, M and F. MOMAL; "Generic Repository and Search Engine for LHC Equipment Test Data"; Intl Conf on Accelerator; 1999.	1	
	77	MOMAL F et al; "A Control System based on Industrial Components for Measuring"; web page at http://mish231.cern.ch/Docs/CSbIC htm.	1	
79 Web page at http://www.awe.com/mark/wwwf94/coxfig3.gif.				
	80	"Bradford Robotic Telescope - Intro", web page at http://www.telescope.	1	
	81	COX, Mark and John BARUCH; "Robotic Telescopes: An Interactive Exhibit on the World Wide Web"; web page at http://www.awe.com/mark/wwwf94/wwwf94.html.	'	
	84	"Welcome to Paul Hass's web server"; web page at http://www.hamjudo.com".	1	
	85	"Status of Paul's (Extra) Refrigerator"; web page at http://www.hamjudo. com/cgi-bin/refrigerator"	1	
	86	"Soda Can platform"; web page at http://www.hamjudo.com/notes/ soda platform.html.	1	
	87	"CD-RoM's in the Microwave"; web page at http://www.hamjudo.com/notes/cdrom.html	1	

1	cdrom.html		
		Date	
Examiner		Considered	
Signature	Whether or not citation is in conformance with MPEP 6	9. Draw line through o	itation if not in conformance and not

PTO/SB/08B (08-03)
Approved for use through 07/31/2006, OMB 0851-0031
Trademark Office: 11 S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are	U.S. Patent a required to respond to a collection of	nd Trademark Office; U.S. DEPARTMENT OF COMMERCE of information unless it contains a valid OMB control number. Complete if Known
		09/436,368
INFORMATION DISCLOSURE	Filing Date	Nov 8, 1999
STATEMENT BY APPLICANT	First Named Inventor	CRATER
STATEMENT DI ALL LIST	Art Unit	2711
(Use as many sheets as necessary)	Examiner Name	
7 7	Attorney Docket Number	CTC-2

Sheet 6		of	7	Attorney Docket Number CTC-2			
تلت							
Examiner	Cite No.1	Include na the item (me of the a	NPATENT LITERATURE DOCUMENTS uthor (in CAPITAL LETTERS), title of the article (when appropriate), title of tiche, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue mber(s), publisher, city and/or country where published.	T ²		
	1 88 1		tus"; web	page at http://hamjudo.com/cgi-bin/hottub.	1		
	89	"Freque	ntly asked	questions about Paul's hottub."; web page at http://hamjudo.	1		
	91	"RoboR	.com/hottub_notes.html". RoboRodentia II"; web page at http://www.elee.calpoly.edu/clubs/cs/ www/RoboContest.				
	92	"The "C	only" Coke	e Machine on the Internet"; web page at http://www.cs. nistory_long.txt.	1		
	50	"Xavier/	has a ne	w job"; web page at http://www-2.cs.cmu.edu/Groups/	1		
	94	"1771	Control C	oprocessor"; Allen-Bradley; December 1994.	Ľ		
	95_	TAYLO	R, Ken an	d James TREVELYAN; "A Telerobot on the World Wide Web"; e 1995 National Conference of the Australian Robot Association			
		TAYLO	OR, Ken a	and James TREVELYAN; "Australia's Telerobot on the rnation Symposiukm on Industrial Robots; 1995.			
	97	manana	VE'Q4: Info	ormation Form"; web page from http://archive/ncsa.uiuc.edu/ da/Info_form.html.			
-	98	"Merc	ury Proje	ct"; web page from http://www.usc/edu/dept/raiders.	Ŀ		

ı				
ľ			Date	
	Examiner		Considered	and not
	Signature	reference considered, whether or not citation is in conformance with MPEP to	609. Draw line through o	station if not in conformance and not
	THE PARTY OF THE P	reference considered, whether of not classes		in ottoched

Signature | Considered |

EXAMMEER: Initial Irreference considered, whether or not distinct is in conformance with MPEP 000. Draw line through clasticn if not in conformance and not considered. Include copy of this form with next communication to applicant.

Considered Include copy of this form with next communication to applicant.

Applicant is include cattering the property of the property of the conformance and not applicant.

This collection of information is required by 3 powered by 35 LIS. C. 122 and 37 CPR 1.14. This callude and the property of the public which is to file (and by the USPTO to process) an applicant.

Commission is required by 3 LIS. C. 122 and 37 CPR 1.14. This callude and the property of the public which is to file (and by the USPTO to process) an applicant.

Commission is required by 35 LIS. C. 122 and 37 CPR 1.14. This callude and the law is the property of the public which is to file (and by the USPTO to process) an applicant.

Commission is required by 35 LIS. C. 122 and 37 CPR 1.14. This callude the law is the process of the public p

U.S. Pater and Trademark Office; U.S. DEPARTNENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless is contains a varied OMB control number.

Complete if Known

Statute for form 1449PTO

Application Number. Substitute for form 1449/PTO INFORMATION DISCLOSURE Filing Date Nov 8, 1999 STATEMENT BY APPLICANT First Named Inventor CRATER Art Unit 2711 (Use as many sheets as necessary) **Examiner Name** Attorney Docket Number CTC-2 7 Sheet of

7

xaminer nitials*	Cite No.1	NON PATENT LITERATURE DOCUMENTS Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
	99/	PUTNAM, Fredrick; "LABTECHnet Visualization of a Weather Front".	1
	3 -	STRAUSS, Richard; LABECH memo and other documents.	′
	4 /	"LABTECHnet Frequently Asked Questions".	/
	5	PUTNAM, Fredrick; "LABTECH News: Another superlative PR article"; email.	1
	6	PUTNAM, Fredrick; "Public-domain IPC scheme moves Windows data 1000 times faster than DDE"; Personal Engineer and Instrumentation News.	1
	7,	"Installing and Using LABTECHnet".	<u> </u>
			-
			-
<u> </u>	+		

	Date	
Examiner	Considered	
Signature Signature whether or not ditation is in conformance	e with MPEP 609. Draw line through citation if I	ot in conformance and not

Signature

EXAMINER: Initial if reference considered, whether or not distinct in conformance with MPEP 009. Draw line through clustor if not in conformance and not considered. Include copy of this form with next communication to applicant, considered. Include copy of this form with next communication to applicant.

1 Applicant's unique distinct dissipational by 2.7 Eq. 19.8. The information is optione a check mark here if English language Translation is statished. The conformation dissipation of the properties of the conformation is required to obtain or retain a steerifity by application by the USPTO The conformation is required to obtain or retain a steerifity by application conformation is to fit and a strength or the conformation of the conformation of